

ATLANTIC HEALTH DATABASE

APPENDIX D

HEALTH SERVICE UTILIZATION





LIST OF SYMBOLS

	Nil or zero.
	Number is too small to be expressed.
•	Data are not available for any reference period. This symbol is used when the figure has never been published for any reference period. The symbol implies that the underlying time series does not exist, but theoretically could exist.
••	Data are not available for a specific reference period. This symbol is used when the time series exists but the figure is not published for a specific reference period.
•••	Not applicable. This symbol is used when an entry for the table cell is not logically possible. For example, there could not be any data for "legal drivers under 15 years of age" or "women with prostate cancer." In such cases, no time series will exist.
×	Used to rank a region relative to a province or Canada. In tables showing percentages, × denotes a lower percentage than the province or nation. In tables showing rates of occurrence, × denotes a less favourable rate.
✓	Used to rank a region relative to a province or Canada. In tables showing percentages, ✓ denotes a higher percentage than the province or nation. In tables showing rates of occurrence, ✓ denotes a more favourable rate.
_	In tables comparing a region relative to a province or Canada, "-" denotes that there is no data available for comparison
E	Data with a coefficient of variation (CV) from 16.6% to 33.3% are identified by ^E and should be interpreted with caution.
F	Data with a coefficient of variation (CV) greater than 33.3% were suppressed due to extreme sampling variability. When a figure is "too unreliable to be published," the data point is suppressed and the symbol F appears in the data cell.
s	Used in tables ranking regions relative to a province or Canada. In tables showing percentages, s denotes that the percentage is equal to province or nation. In tables showing rates of occurrence, s denotes an equal rate.
X	Figures have been suppressed to meet the confidentiality provisions of the <i>Statistics Act</i> .



LIST OF TABLES

Table 190. Contact with medical doctors, by sex, household population aged 12 and over, Canada, Atlantic Provinces and Health Districts, 2000/01	7
Table 191. Contact with medical doctors, by sex, household population aged 12 and over, Canada, Atlantic Provinces, and Health Districts, 2000/01	8
Table 192. Contact with alternative health care providers, by sex, household population aged 12 and over, Canada, Atlantic Provinces, and Health Districts, 2000/01	9
DISK1465, 2000/01	10
Table 194. Contact with health professionals about mental health, by sex, household population aged 12 and over, Canada, Atlantic Provinces, a Health Districts, 2000/01	11
Table 195. Contact with health professionals about mental health, by sex, household population aged 12 and over, Canada, Atlantic Provinces, a Health Districts, 2000/01	ind 12
Table 196. Contact with dental professionals, by sex, household population aged 12 and over Canada, Atlantic Provinces, and Health Districts, 2000/01	13
Table 197. Contact with dental professionals, by sex, household population aged 12 and over Canada, Atlantic Provinces, and Health Districts, 2000/01	14
Table 198. Hip fracture, injury, pneumonia/influenza, and ambulatory care sensitive conditions (ACSC) hospitalization rates, by sex, Canada, Atlantic Provinces, and reporting Health Districts, 2002	15
Table 199. Acute care hospitalization rate for hip fractures, age standardized rate per 100,000 population age 65 and older, by sex, Canada, Atlantic Provinces, and reporting Health Districts, 2002	16
Table 200. Acute care inpatient hospitalization for pneumonia and influenza, age-standardized rate per 100,000 population age 65 and older, by sex, Canada, Atlantic Provinces, and reporting Health Districts, 2002	16
Table 201. Acute care inpatient hospitalization due to injuries resulting from the transfer of energy, age-standardized rate per 100,000 population by sex, Canada, Atlantic Provinces, and reporting Health Districts, 2002	n, 17
Table 202. Inpatient ambulatory care sensitive conditions (ACSC), age standardized rate per 100,000 population, by sex, Canada, Atlantic Provinces, and reporting Health Districts, 2002	17
Table 203. Percentage of patients hospitalized in acute care facilities for conditions or procedures that may not require hospitalization (MNRH),	18
Table 204. Acute myocardial infarction (AMI) and hysterectomy risk adjusted readmission rates, and Canada, Atlantic Provinces, and reporting	19



Table 205. Unplanned readmission following discharge for acute myocardial infarction (AMI), risk adjusted rate (%), both sexes, Canada, Provinces, and reporting Health Districts, 2002.	Atlantic 20
Table 206. Unplanned readmission following discharge for asthma, risk adjusted rate (%), both sexes, Canada, Atlantic Provinces, and report Health Districts, 2002	
Table 207. Unplanned readmission following discharge for hysterectomy, risk adjusted rate (%), both sexes, Canada, Atlantic Provinces, at reporting Health Districts, 2002	
Table 208. Coronary artery bypass graft surgery, total unilateral or bilateral hip replacement surgery, and Total unilateral or bilateral knee replacement surgery, age-standardized rate per 100,000 population, by sex, Canada, Atlantic Provinces, and reporting Health D 2002	
Table 209. Coronary artery bypass graft surgery, age-standardized rate per 100,000 population age 20 and over, by sex, Canada, Atlantic Provinces, and reporting Health Districts, 2002.	23
Table 210. Total unilateral or bilateral hip replacement surgery, age-standardized rate per 100,000 population, by sex, Canada, Atlantic Pro and reporting Health Districts, 2002	ovinces, 23
Table 211. Total unilateral or bilateral knee replacement surgery, age-standardized rate per 100,000 population, by sex, Canada, Atlantic Provinces, and reporting Health Districts, 2002	24
Table 212. General/Family practitioners and specialists, rate per 100,000 population, both sexes, Canada, Atlantic Provinces, and reporting Districts, 1999	g Health
Table 213. Physicians per 100,000 population by type, Canada, Provinces and Territories, 1997-2001	
Table 214. Number of Registered Nurses employed in nursing by province/territory of registration, 1997-2001	
Table 215. Registered Nurses rate per 10,000 population, Canada and Atlantic Provinces, 1997-2001	
Table 216. Total health expenditure, by province/territory and Canada, 1975 to 2002, current dollars per capita	29
Table 217. Total health expenditure, Canada, Provinces and Territories, 1975 to 2002, annual percentage change	
Table 218. Health expenditure by use of funds, by source of finance, 1975-2002, current dollars (millions)	
Table 219. Newfoundland and Labrador health expenditures, 1975-2002, current dollars (millions)	
Table 220. Prince Edward Island health expenditures, 1975-2002, current dollars (millions)	
Table 221. Nova Scotia health expenditures, 1975-2002, current dollars (millions)	34
Table 222. New Brunswick health expenditures, 1975-2002, current dollars (millions)	35
Table 223. Drug expenditure summary Canada, Provinces and Territories, 1999.	36





Table 190. Contact with medical doctors, by sex, household population aged 12 and over, Canada, Atlantic Provinces and Health Districts, 2000/01

	Conta	ct with n	nedical de	octors in	past 12 m	onths	No Con	tact with	medical	doctors i	n past 12	months
	Both	sexes	M	ale	Fen	nale	Both	sexes	M	ale	Fen	nale
	Canada	Province	Canada	Province	Canada	Province	Canada	Province	Canada	Province	Canada	Province
Canada												
Newfoundland and Labrador	✓		✓		✓		×		×		×	
St. John's (NF1)	✓	✓	√	√	√	×	×	×	×	×	×	✓
Eastern (NF2)	✓	✓	✓	×	✓	✓	×	×	×	✓	×	×
Central (NF3)	✓	✓	✓	✓	✓	✓	×	×	×	×	×	×
Western (NF4)	✓	✓	✓	✓	✓	×	×	×	×	×	×	✓
Grenfell (NF5)	×	×	×	×	×	×	✓	✓	✓	✓	✓	✓
Labrador (NF6)	×	×	✓	×	×	×	×	✓	×	✓	✓	✓
Prince Edward Island	✓		×		✓		×		✓		×	
PEI/Urban	×	×	×	×	✓	×	✓	✓	✓	✓	×	✓
PEI/Rural	✓	✓	✓	✓	✓	✓	×	×	×	×	×	×
Nova Scotia	✓		✓		✓		×		×		×	
South-SW (NS1)	S	×	✓	×	×	×	S	✓	×	✓	✓	✓
Valley (NS2)	×	×	×	×	×	×	✓	✓	✓	✓	✓	✓
Colch-Cumb-E.Hants (NS3)	✓	✓	✓	✓	✓	×	×	×	×	×	×	✓
Pictou-GASHA (NS4)	✓	×	✓	✓	×	×	×	×	×	×	✓	✓
Cape Breton (NS5)	✓	✓	✓	✓	×	×	×	×	×	×	✓	✓
Capital (NS6)	✓	✓	×	×	✓	✓	×	×	✓	✓	×	×
New Brunswick	✓		✓		✓		×		×		×	
Moncton (NB1)	✓	✓	✓	✓	✓	✓	×	×	×	×	×	×
Sussex/Saint John (NB2)	✓	✓	✓	✓	✓	✓	×	×	×	×	×	×
Fredericton (NB3)	✓	×	✓	×	✓	×	×	✓	×	✓	×	✓
Edmundston (NB4)	×	×	×	×	×	×	✓	✓	✓	✓	✓	✓
Campbellton (NB5)	✓	✓	✓	✓	✓	✓	×	×	×	×	-	-
Bathurst (NB6)	✓	×	×	×	✓	✓	×	✓	✓	✓	×	×
Miramichi (NB7)	✓	✓	✓	✓	✓	✓	×	×	×	×	-	-

^{× -} lower percentage than the province or nation

^{✓ -} higher percentage than the province or nation

s - same percentage as the province or nation

[&]quot;-" - no data available for comparison



Table 191. Contact with medical doctors, by sex, household population aged 12 and over, Canada, Atlantic Provinces, and Health Districts, 2000/01

	Contac	t with	medical doct	ors in _l	oast 12 month	ıs	No Con	tact with	n medical do	ctors in	past 12 mor	nths
	Both sex	es	Male		Female	e	Both se	exes	Male	e	Fema	le
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
Canada	20,966,560	81.3	9,548,655	75.2	11,417,905	87.2	4,752,003	18.4	3,113,674	24.5	1,638,329	12.5
Newfoundland and Labrador	393,847	85.4	181,995	80.1	211,852	90.6	66,578	14.4	45,005	19.8	21,573	9.2
St. John's (NF1)	136,994	86.6	63,560	82.6	73,434	90.4	21,036	13.3	13,419	17.4	$7,617^{E}$	9.4 ^E
Eastern (NF2)	88,887	85.8	40,277	79.1	48,610	92.3	14,320	13.8	10,538	20.7	$3,781^{E}$	7.2^{E}
Central (NF3)	78,417	86.7	36,156	80.4	42,261	93	11,999	13.3	8,796	19.6	$3,203^{E}$	7.0^{E}
Western (NF4)	64,087	85.7	30,039	81.5	34,048	89.8	10,653	14.3	$6,804^{E}$	18.5^{E}	$3,849^{E}$	10.2^{E}
Grenfell (NF5)	9,096	64.9	3,933	55.3	5,164	74.8	4,888	34.9	3,145	44.2	1,743	25.2
Labrador (NF6)	16,365	81.2	8,031	77.7	8,335	84.9	3,683	18.3	2,304	22.3	1,379 ^E	14.1 ^E
Prince Edward Island	95,245	81.9	42,170	74.4	53,075	89.0	20,629	17.7	14,286	25.2	6,344	10.6
PEI/Urban	44,068	80.9	19,199	73.0	24,869	88.4	10,226	18.8	7,100	27.0	3,127	11.1
PEI/Rural	51,177	82.7	22,971	75.6	28,205	89.5	10,403	16.8	7,186	23.6	3,217	10.2
Nova Scotia	650,992	82.6	291,443	76.5	359,549	88.3	136,011	17.3	88,771	23.3	47,240	11.6
South-SW (NS1)	88,043	81.3	40,278	75.8	47,764	86.6	19,953	18.4	12,606	23.7	7,347	13.3
Valley (NS2)	56,551	80.2	24,800	73.0	31,751	86.9	13,824	19.6	9,169	27.0	4,656	12.7
Colch-Cumb-E.Hants (NS3)	74,535	83.8	34,341	79.2	40,194	88.2	14,401	16.2	9,020	20.8	5,381	11.8
Pictou-GASHA (NS4)	68,695	82.5	31,934	77.9	36,760	87.0	14,342	17.2	8,992	21.9	5,349 ^E	12.7^{E}
Cape Breton (NS5)	94,231	83.9	44,626	82.8	49,606	85.0	17,867	15.9	9,097	16.9	8,770	15.0
Capital (NS6)	268,937	82.8	115,464	74.2	153,473	90.7	55,623	17.1	39,887	25.6	15,737	9.3
New Brunswick	533,995	84.2	242,599	78.1	291,396	90.0	99,104	15.6	67,403	21.7	31,701	9.8
Moncton (NB1)	134,507	85.2	60,580	78.4	73,928	91.7	23,352	14.8	16,621	21.5	6,731	8.3
Sussex/Saint John (NB2)	130,040	87.1	60,240	83.3	69,800	90.6	19,104	12.8	12,057	16.7	7,046	9.1
Fredericton (NB3)	112,836	82.1	50,642	75.8	62,194	88.0	24,162	17.6	15,803	23.7	8,360	11.8
Edmundston (NB4)	35,706	77.4	16,631	73.4	19,075	81.3	10,426	22.6	6,042	26.6	4,384	18.7
Campbellton (NB5)	23,323	86.6	10,526	79.5	12,797	93.4	$3,447^{E}$	12.8 ^E	$2,555^{E}$	19.3 ^E	F	F
Bathurst (NB6)	62,244	82.8	27,807	73.7	34,437	91.8	12,862	17.1	9,900	26.3	$2,962^{E}$	7.9 ^E
Miramichi (NB7)	35,338	85.7	16,173	78.5	19,165	92.9	5,751	14.0	4,425	21.5	F	F



Table 192. Contact with alternative health care providers, by sex, household population aged 12 and over, Canada, Atlantic Provinces, and Health Districts, 2000/01

	Cont	act with a	alternativ	e health	care prov	viders	No con	tact with	ive health care providers			
	Both	sexes	M	ale	Fen	nale	Both	sexes	M	ale	Fen	nale
	Canada	Province	Canada	Province	Canada	Province	Canada	Province	Canada	Province	Canada	Province
Canada												
Newfoundland and Labrador	×		×		×		✓		✓		✓	
St. John's (NF1)	×	✓	×	✓	×	✓	✓	×	✓	×	✓	×
Eastern (NF2)	-	-	-	-	-	-	✓	✓	✓	✓	✓	✓
Central (NF3)	-	-	-	-	-	-	✓	✓	✓	✓	✓	✓
Western (NF4)	-	-	-	-	-	-	✓	✓	✓	✓	✓	✓
Grenfell (NF5)	-	•	-	-	-	-	✓	✓	✓	✓	✓	✓
Labrador (NF6)	×	✓	-	-	×	✓	✓	×	✓	×	✓	×
Prince Edward Island	×		×		×		✓		✓		✓	
PEI/Urban	×	✓	×	✓	×	✓	✓	×	✓	×	✓	×
PEI/Rural	×	×	×	×	×	×	✓	✓	✓	✓	✓	✓
Nova Scotia	×		×		×		✓		✓		✓	
South-SW (NS1)	×	×	-	-	×	✓	✓	✓	✓	✓	✓	×
Valley (NS2)	×	✓	×	×	×	✓	✓	×	✓	✓	✓	×
Colch-Cumb-E.Hants (NS3)	×	×	×	×	×	×	✓	✓	√	✓	✓	✓
Pictou-GASHA (NS4)	×	×	-	-	×	×	✓	✓	✓	✓	✓	✓
Cape Breton (NS5)	×	×	×	×	×	×	✓	✓	✓	✓	✓	✓
Capital (NS6)	×	✓	×	✓	×	✓	✓	×	✓	×	✓	×
New Brunswick	×		×		×		✓		✓		✓	
Moncton (NB1)	×	✓	×	✓	×	×	✓	×	✓	×	✓	✓
Sussex/Saint John (NB2)	×	×	×	×	×	×	✓	✓	✓	✓	✓	✓
Fredericton (NB3)	×	×	-	-	×	✓	✓	✓	✓	✓	✓	×
Edmundston (NB4)	×	×	×	S	×	×	✓	✓	✓	✓	✓	✓
Campbellton (NB5)	×	✓	-	-	×	✓	✓	×	✓	✓	✓	×
Bathurst (NB6)	×	✓	×	×	×	✓	✓	×	✓	×	✓	×
Miramichi (NB7)	×	×	-	-	×	×	✓	✓	✓	✓	✓	✓

^{× -} lower percentage than the province or nation

^{✓ -} higher percentage than the province or nation

s - same percentage as the province or nation

[&]quot;-" - no data available for comparison



Table 193. Contact with alternative health care providers, by sex, household population aged 12 and over, Canada, Atlantic Provinces, and Health Districts, 2000/01

	Conta	ct with	alternative l	nealth c	are provide	rs	No contact with alternative health care providers						
	Both sea	xes	Male	;	Femal	e	Both sex	es	Male		Female	3	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	
Canada	2,832,503	11.0	1,011,577	8.0	1,820,926	13.9	22,958,100	89.0	11,686,787	92.0	11,271,313	86.1	
Newfoundland and Labrador	14,759	3.2	5,698 ^E	2.5 ^E	9,061	3.9	446,299	96.8	221,406	97.5	224,893	96.1	
St. John's (NF1)	9,608	6.1	$4,080^{E}$	5.3 ^E	5,528 ^E	6.8 ^E	148,565	93.9	72,898	94.7	75,667	93.2	
Eastern (NF2)	F	F	F	F	F	F	101,831	98.3	50,355	98.9	51,477	97.7	
Central (NF3)	F	F	F	F	F	F	88,896	98.3	44,165	98.2	44,731	98.4	
Western (NF4)	F	F	F	F	F	F	73,978	99.0	36,843	100.0	37,135	98.0	
Grenfell (NF5)	F	F	F	F	F	F	13,989	99.8	7,114	100.0	6,875	99.5	
Labrador (NF6)	$1,110^{E}$	5.5 ^E	F	F	808^{E}	8.2 ^E	19,041	94.5	10,033	97.1	9,008	91.8	
Prince Edward Island	6,280	5.4	1,819	3.2	4,461	7.5	110,031	94.6	54,869	96.8	55,162	92.5	
PEI/Urban	3,847	7.1	$1,205^{E}$	4.6 ^E	2,642	9.4	50,578	92.9	25,093	95.4	25,484	90.6	
PEI/Rural	2,434	3.9	614 ^E	2.0^{E}	1,819 ^E	5.8 ^E	59,454	96.1	29,775	98.0	29,678	94.2	
Nova Scotia	46,255	5.9	15,250	4.0	31,005	7.6	741,345	94.1	365,221	95.9	376,124	92.4	
South-SW (NS1)	5,692	5.3	F	F	4,799	8.7	102,600	94.7	52,226	98.3	50,373	91.3	
Valley (NS2)	4,317	6.1	1,079 ^E	3.2^{E}	3,238	8.9	66,183	93.9	32,890	96.8	33,293	91.1	
Colch-Cumb-E.Hants (NS3)	$4,295^{E}$	4.8 ^E	$1,542^{E}$	3.6^{E}	$2,753^{E}$	6.0^{E}	84,642	95.2	41,820	96.4	42,822	94.0	
Pictou-GASHA (NS4)	$2,330^{E}$	2.8^{E}	F	F	1,784 ^E	4.2^{E}	80,920	97.2	40,440	98.7	40,480	95.8	
Cape Breton (NS5)	2,944 ^E	2.6^{E}	1,394 ^E	2.6^{E}	$1,550^{E}$	2.7^{E}	109,329	97.4	52,502	97.4	56,826	97.3	
Capital (NS6)	26,677	8.2	9,797 ^E	6.3 ^E	16,880	10.0	297,672	91.7	145,343	93.5	152,329	90.0	
New Brunswick	35,359	5.6	11,287	3.6	24,071	7.4	598,653	94.4	299,248	96.3	299,406	92.5	
Moncton (NB1)	9,174	5.8	$3,774^{\rm E}$	4.9 ^E	5,399 ^E	6.7^{E}	148,757	94.2	73,498	95.1	75,259	93.3	
Sussex/Saint John (NB2)	7,571	5.1	$2,119^{E}$	2.9^{E}	5,452 ^E	7.1 ^E	141,573	94.8	70,178	97.1	71,395	92.7	
Fredericton (NB3)	7,008	5.1	F	F	5,368 ^E	7.6 ^E	130,477	94.9	65,171	97.5	65,306	92.4	
Edmundston (NB4)	2,503	5.4	812 ^E	3.6^{E}	1,691 ^E	7.2^{E}	43,629	94.6	21,861	96.4	21,768	92.8	
Campbellton (NB5)	1,731 ^E	6.4 ^E	F	F	$1,312^{E}$	9.6 ^E	25,151	93.4	12,757	96.4	12,394	90.4	
Bathurst (NB6)	5,435	7.2	1,973 ^E	5.2 ^E	$3,462^{E}$	9.2^{E}	69,778	92.8	35,733	94.8	34,045	90.8	
Miramichi (NB7)	$1,936^{E}$	4.7 ^E	F	F	$1,387^{E}$	6.7^{E}	39,289	95.3	20,049	97.3	19,239	93.3	



Table 194. Contact with health professionals about mental health, by sex, household population aged 12 and over, Canada, Atlantic Provinces, and Health Districts, 2000/01

		hea	ealth pro	st 12 mor	ths			ths	about mental Female			
	Both	sexes	M	ale	Fen	nale	Both	sexes	M	ale	Fen	nale
	Canada	Province	Canada	Province	Canada	Province	Canada	Province	Canada	Province	Canada	Province
Canada												
Newfoundland and Labrador	×		×		×		✓		✓		✓	
St. John's (NF1)	×	✓	✓	✓	×	✓	✓	×	✓	×	✓	×
Eastern (NF2)	×	×	-	-	×	×	✓	✓	✓	✓	✓	✓
Central (NF3)	×	×	×	×	×	×	✓	✓	✓	×	✓	✓
Western (NF4)	×	×	-	-	×	×	✓	✓	✓	✓	✓	✓
Grenfell (NF5)	×	×	-	-	×	×	✓	✓	✓	✓	✓	✓
Labrador (NF6)	×	×	-	-	×	✓	✓	✓	✓	✓	✓	×
Prince Edward Island	×		×		×		✓		✓		✓	
PEI/Urban	×	✓	×	✓	✓	✓	✓	×	✓	×	✓	×
PEI/Rural	×	×	×	×	×	×	✓	✓	✓	✓	✓	✓
Nova Scotia	×		✓		×		✓		✓		✓	
South-SW (NS1)	×	×	×	×	×	×	√	✓	✓	S	✓	✓
Valley (NS2)	×	×	✓	×	×	×	✓	✓	✓	S	✓	✓
Colch-Cumb-E.Hants (NS3)	✓	✓	✓	✓	×	✓	×	×	✓	×	✓	×
Pictou-GASHA (NS4)	×	×	×	×	×	×	✓	✓	✓	✓	✓	✓
Cape Breton (NS5)	×	×	✓	✓	×	×	✓	✓	✓	×	✓	✓
Capital (NS6)	✓	✓	×	×	×	✓	✓	×	✓	✓	✓	×
New Brunswick	×		×		×		✓		✓		✓	
Moncton (NB1)	✓	✓	✓	✓	×	✓	S	×	✓	×	✓	×
Sussex/Saint John (NB2)	×	×	×	×	×	×	✓	✓	✓	✓	✓	✓
Fredericton (NB3)	×	×	×	×	×	×	✓	✓	✓	✓	✓	✓
Edmundston (NB4)	×	✓	✓	✓	×	×	✓	✓	✓	×	✓	✓
Campbellton (NB5)	×	×	-	-	×	×	✓	✓	✓	✓	✓	✓
Bathurst (NB6)	×	×	-	-	×	✓	✓	S	✓	✓	✓	×
Miramichi (NB7)	×	✓	×	×	×	✓	×	×	✓	×	✓	×

^{× -} lower percentage than the province or nation

^{✓ -} higher percentage than the province or nation

s - same percentage as the province or nation



Table 195. Contact with health professionals about mental health, by sex, household population aged 12 and over, Canada, Atlantic Provinces, and Health Districts, 2000/01

	Contact w	ith hea	lth profession in past 12 i		out mental h	ealth	No contact	with h	ealth profession in past 12 m		out mental h	ealth
	Both sex	es	Male		Femal	e	Both sex	es	Male		Female	e
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
Canada	2,125,565	8.2	680,456	5.4	1,445,109	11.0	23,408,715	90.7	11,884,301	93.5	11,524,414	88.0
Newfoundland and Labrador	25,925	5.6	9,291	4.1	16,634	7.1	433,026	93.9	216,698	95.4	216,328	92.5
St. John's (NF1)	12,642	8.0	4,586 ^E	6.0^{E}	8,055	9.9	145,007	91.7	71,868	93.4	73,139	90.1
Eastern (NF2)	$4,247^{E}$	4.1 ^E	F	F	$3,127^{E}$	5.9 ^E	98,734	95.3	49,729	97.6	49,005	93.0
Central (NF3)	$3,800^{E}$	4.2^{E}	1,741 ^E	3.9 ^E	$2,059^{E}$	4.5 ^E	85,976	95.1	42,781	95.2	43,196	95.0
Western (NF4)	$3,562^{E}$	4.8 ^E	F	F	$2,221^{E}$	5.9 ^E	70,974	95.0	35,439	96.2	35,535	93.8
Grenfell (NF5)	587^{E}	4.2^{E}	F	F	329^{E}	4.8 ^E	13,336	95.1	6,856	96.4	6,480	93.8
Labrador (NF6)	$1,087^{\rm E}$	5.4 ^E	F	F	842 ^E	8.6^{E}	18,999	94.3	10,025	97.0	8,974	91.4
Prince Edward Island	7,915	6.8	2,096	3.7	5,819	9.8	107,694	92.6	54,055	95.4	53,638	89.9
PEI/Urban	4,283	7.9	997 ^E	3.8^{E}	$3,286^{E}$	11.7 ^E	49,725	91.3	24,977	95.0	24,747	87.9
PEI/Rural	3,632	5.9	1,099 ^E	3.6^{E}	2,533	8.0	57,969	93.7	29,078	95.7	28,891	91.7
Nova Scotia	62,138	7.9	20,951	5.5	41,187	10.1	722,198	91.7	357,416	93.8	364,782	89.6
South-SW (NS1)	7,098	6.6	$2,238^{E}$	4.2 ^E	$4,860^{E}$	8.8 ^E	101,141	93.4	50,881	95.8	50,259	91.1
Valley (NS2)	$5,089^{E}$	7.2^{E}	$2,061^{E}$	6.1 ^E	$3,028^{E}$	8.3 ^E	65,094	92.3	31,868	93.8	33,227	91.0
Colch-Cumb-E.Hants (NS3)	8,218	9.2	3,499 ^E	8.1 ^E	4,719	10.4	79,319	89.2	38,969	89.9	40,351	88.5
Pictou-GASHA (NS4)	4,584	5.5	1,013 ^E	2.5^{E}	$3,571^{E}$	8.5 ^E	78,293	94.0	39,646	96.7	38,647	91.4
Cape Breton (NS5)	8,725	7.8	$4,021^{E}$	7.5^{E}	$4,704^{E}$	8.1 ^E	103,071	91.8	49,530	91.9	53,541	91.7
Capital (NS6)	28,424	8.8	8,119 ^E	5.2 ^E	20,305	12.0	295,279	90.9	146,522	94.2	148,757	87.9
New Brunswick	43,319	6.8	14,477	4.7	28,842	8.9	585,595	92.3	292,329	94.1	293,265	90.6
Moncton (NB1)	13,767	8.7	5,436 ^E	7.0^{E}	8,331	10.3	143,218	90.7	71,110	92.0	72,108	89.4
Sussex/Saint John (NB2)	8,478	5.7	$2,220^{E}$	3.1^{E}	$6,258^{E}$	8.1 ^E	139,817	93.6	69,228	95.8	70,589	91.6
Fredericton (NB3)	8,522	6.2	$2,709^{E}$	4.1 ^E	5,812	8.2	128,161	93.2	63,299	94.7	64,862	91.8
Edmundston (NB4)	$3,263^{E}$	7.1^{E}	$1,560^{E}$	6.9^{E}	1,704 ^E	7.3^{E}	42,711	92.6	21,041	92.8	21,669	92.4
Campbellton (NB5)	1,670	6.2	F	F	$1,153^{E}$	8.4 ^E	25,069	93.1	12,593	95.2	12,476	91.0
Bathurst (NB6)	4,733	6.3	F	F	$3,597^{E}$	9.6 ^E	69,400	92.3	35,934	95.3	33,466	89.2
Miramichi (NB7)	$2,886^{E}$	7.0^{E}	898 ^E	4.4 ^E	1,988 ^E	9.6 ^E	37,220	90.3	19,124	92.8	18,096	87.7



Table 196. Contact with dental professionals, by sex, household population aged 12 and over Canada, Atlantic Provinces, and Health Districts, 2000/01

	Contac	ct with de	ntal profe	ssionals ir	ı past 12 ı	nonths	No cont	act with d	fessionals	in past 12	months	
	Both	sexes	M	ale	Fen	nale	Both	sexes	M	ale	Fen	nale
	Canada	Province	Canada	Province	Canada	Province	Canada	Province	Canada	Province	Canada	Province
Canada												
Newfoundland and Labrador	×		×		×		✓		✓		✓	
St. John's (NF1)	×	✓	×	✓	×	×	✓	×	✓	×	✓	×
Eastern (NF2)	×	×	×	×	×	×	✓	✓	✓	✓	✓	✓
Central (NF3)	×	×	×	×	×	×	✓	✓	✓	✓	✓	✓
Western (NF4)	×	×	×	×	×	×	✓	✓	✓	✓	✓	✓
Grenfell (NF5)	×	×	×	×	×	×	✓	✓	✓	✓	✓	✓
Labrador (NF6)	×	√	×	✓	×	✓	✓	×	✓	×	✓	×
Prince Edward Island	×		×		×		✓		✓		✓	
PEI/Urban	✓	✓	✓	✓	×	✓	×	×	×	×	×	×
PEI/Rural	×	×	×	×	×	×	✓	✓	✓	✓	✓	✓
Nova Scotia	×		×		×		✓		✓		✓	
South-SW (NS1)	×	×	×	×	×	×	✓	✓	✓	✓	✓	✓
Valley (NS2)	×	✓	×	✓	×	×	✓	×	✓	×	✓	S
Colch-Cumb-E.Hants (NS3)	×	×	×	×	×	×	✓	✓	✓	✓	✓	✓
Pictou-GASHA (NS4)	×	✓	✓	✓	×	✓	✓	×	×	×	✓	×
Cape Breton (NS5)	×	×	×	×	×	×	✓	✓	✓	✓	✓	✓
Capital (NS6)	✓	✓	✓	✓	✓	✓	×	×	×	×	×	×
New Brunswick	×		×		×		✓		✓		✓	
Moncton (NB1)	×	✓	×	✓	×	✓	✓	×	✓	×	✓	×
Sussex/Saint John (NB2)	×	✓	✓	✓	×	✓	✓	×	S	×	✓	×
Fredericton (NB3)	×	×	×	×	×	✓	✓	✓	✓	✓	✓	×
Edmundston (NB4)	×	×	×	×	×	×	✓	✓	✓	✓	✓	✓
Campbellton (NB5)	×	✓	×	✓	×	×	✓	×	✓	×	✓	✓
Bathurst (NB6)	×	×	×	×	×	×	✓	✓	✓	✓	✓	✓
Miramichi (NB7)	×	✓	×	✓	×	×	✓	×	✓	×	✓	✓

 $[\]times$ - lower percentage than the province or nation

^{✓ -} higher percentage than the province or nation

s - same percentage as the province or nation



Table 197. Contact with dental professionals, by sex, household population aged 12 and over Canada, Atlantic Provinces, and Health Districts, 2000/01

	Contact w	vith den	tal professio	nals in	past 12 mon	ths	No contact	t with de	ntal professi	ionals i	n past 12 mo	nths
	Both sex	es	Male		Femal	e	Both se	xes	Male	;	Femal	e
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
Canada	15,478,015	60.0	7,294,215	57.4	8,183,801	62.5	10,294,986	39.9	5,393,717	42.5	4,901,269	37.4
Newfoundland and Labrador	203,058	44.0	95,327	42.0	107,732	46.0	257,717	55.9	131,823	58.0	125,894	53.8
St. John's (NF1)	86,573	54.7	40,960	53.2	45,614	56.2	71,457	45.2	36,019	46.8	35,438	43.6
Eastern (NF2)	37,861	36.5	17,371	34.1	20,490	38.9	65,558	63.3	33,557	65.9	32,001	60.8
Central (NF3)	34,839	38.5	17,103	38.0	17,736	39.0	55,577	61.5	27,849	62.0	27,728	61.0
Western (NF4)	29,005	38.8	13,251	36.0	15,754	41.6	45,734	61.2	23,591	64.0	22,143	58.4
Grenfell (NF5)	4,496	32.1	2,050	28.8	2,446	35.4	9,524	67.9	5,064	71.2	4,461	64.6
Labrador (NF6)	10,284	51.0	4,592	44.4	5,692	58.0	9,867	49.0	5,743	55.6	4,124	42.0
Prince Edward Island	69,102	59.4	32,311	57.0	36,791	61.7	47,051	40.4	24,377	43.0	22,674	38.0
PEI/Urban	34,067	62.6	16,613	63.2	17,454	62.0	20,250	37.2	9,685	36.8	10,564	37.5
PEI/Rural	35,035	56.6	15,698	51.7	19,337	61.4	26,801	43.3	14,691	48.3	12,110	38.4
Nova Scotia	452,720	57.5	203,727	53.5	248,993	61.2	335,092	42.5	177,014	46.5	158,078	38.8
South-SW (NS1)	56,517	52.2	26,221	49.4	30,296	54.9	51,776	47.8	26,899	50.6	24,877	45.1
Valley (NS2)	40,641	57.6	18,332	54.0	22,309	61.1	29,799	42.3	15,636	46.0	14,163	38.8
Colch-Cumb-E.Hants (NS3)	46,269	52.0	21,157	48.8	25,112	55.1	42,566	47.9	22,102	51.0	20,464	44.9
Pictou-GASHA (NS4)	49,843	59.9	23,852	58.2	25,991	61.5	33,407	40.1	17,134	41.8	16,273	38.5
Cape Breton (NS5)	56,601	50.4	24,007	44.5	32,594	55.8	55,671	49.6	29,890	55.5	25,782	44.2
Capital (NS6)	202,849	62.5	90,158	58.0	112,691	66.6	121,873	37.5	65,354	42.0	56,519	33.4
New Brunswick	334,021	52.7	156,085	50.3	177,936	55.0	299,625	47.2	154,084	49.6	145,541	45.0
Moncton (NB1)	85,550	54.2	39,942	51.7	45,608	56.5	72,381	45.8	37,331	48.3	35,050	43.5
Sussex/Saint John (NB2)	87,701	58.7	41,575	57.5	46,126	59.9	61,443	41.1	30,722	42.5	30,721	39.9
Fredericton (NB3)	70,094	51.0	30,438	45.6	39,656	56.1	67,025	48.8	36,007	53.9	31,018	43.9
Edmundston (NB4)	19,606	42.5	9,257	40.8	10,349	44.1	26,526	57.5	13,417	59.2	13,109	55.9
Campbellton (NB5)	14,571	54.1	7,295	55.1	7,275	53.1	12,311	45.7	5,881	44.4	6,430	46.9
Bathurst (NB6)	34,627	46.0	17,033	45.2	17,594	46.9	40,586	54.0	20,674	54.8	19,912	53.1
Miramichi (NB7)	21,872	53.1	10,545	51.2	11,326	54.9	19,353	46.9	10,053	48.8	9,300	45.1



Table 198. Hip fracture, injury, pneumonia/influenza, and ambulatory care sensitive conditions (ACSC) hospitalization rates, by sex, Canada, Atlantic Provinces, and reporting Health Districts, 2002

		Hip fracture hospitalization rate				Inj pitaliz	ury ation	rate		ımoni ıospit: ra			ACSC hospitalization rate			
	Ma	ale	Fen	nale	M	Male Female			Male Female				Male Femal			nale
	Canada	Province	Canada	Province	Canada	Province	Canada	Province	Canada	Province	Canada	Province	Canada	Province	Canada	Province
Canada																
Newfoundland and Labrador	×		×		-		-		×		×		×		×	
St. John's (NF1)	✓	✓	✓	✓	-	✓	-	✓	✓	✓	✓	✓	×	✓	×	✓
Eastern (NF2)	×	×	✓	✓	-	✓	-	✓	×	×	×	×	×	✓	×	✓
Central (NF3)	×	✓	×	×	-	✓	-	✓	×	✓	×	×	×	✓	×	✓
Prince Edward Island	×		×		-		-		×		×		×		×	
Nova Scotia	✓		✓		-		-		×		×		×		×	
South-SW (NS1)	✓	✓	✓	✓	-	✓	-	✓	×	×	×	✓	×	×	×	✓
Colch-Cumb-E.Hants (NS3)	✓	×	×	×	-	×	-	×	×	✓	×	✓	×	×	×	×
Cape Breton (NS5)	×	×	×	×	-	×	-	✓	×	✓	×	✓	×	×	×	×
Capital (NS6)	✓	✓	✓	✓	-	✓	-	✓	✓	✓	×	×	✓	✓	✓	✓
New Brunswick	✓		✓		-		-		×		×		×		×	
Moncton (NB1)	✓	×	✓	✓	-	✓	-	✓	×	✓	×	✓	×	✓	×	✓
Sussex/Saint John (NB2)	✓	×	✓	×	-	✓	-	✓	×	✓	×	✓	×	✓	×	✓
Fredericton (NB3)	✓	✓	✓	×	-	×	-	×	×	✓	×	×	×	✓	×	×

^{× -} less favourable rate than the province or nation ✓ - more favourable rate than the province or nation "-" - no data available for comparison



Table 199. Acute care hospitalization rate for hip fractures, age standardized rate per 100,000 population age 65 and older, by sex, Canada, Atlantic Provinces, and reporting Health Districts, 2002

	Male	Female
Canada	387	685
Newfoundland and Labrador	476	721
St. John's (NF1)	359	660
Eastern (NF2)	507	641
Central (NF3)	447	743
Prince Edward Island	468	728
Nova Scotia	357	640
South-SW (NS1)	306	601
Colch-Cumb-E.Hants (NS3)	381	698
Cape Breton (NS5)	434	698
Capital (NS6)	249	536
New Brunswick	285	515
Moncton (NB1)	309	430
Sussex/Saint John (NB2)	321	579
Fredericton (NB3)	266	549

Table 200. Acute care inpatient hospitalization for pneumonia and influenza, age-standardized rate per 100,000 population age 65 and older, by sex, Canada, Atlantic Provinces, and reporting Health Districts, 2002

	Male	Female
Canada	1,741	1,031
Newfoundland and Labrador	1,924	1,169
St. John's (NF1)	1,401	735
Eastern (NF2)	2,422	1,171
Central (NF3)	1,920	1,275
Prince Edward Island	2,128	1,425
Nova Scotia	1,931	1,271
South-SW (NS1)	2,067	1,230
Colch-Cumb-E.Hants (NS3)	1,761	1,221
Cape Breton (NS5)	1,826	1,445
Capital (NS6)	1,655	1,052
New Brunswick	2,278	1,473
Moncton (NB1)	2,119	1,126
Sussex/Saint John (NB2)	2,008	1,337
Fredericton (NB3)	2,581	1,653



Table 201. Acute care inpatient hospitalization due to injuries resulting from the transfer of energy, age-standardized rate per 100,000 population, by sex, Canada, Atlantic Provinces, and reporting Health Districts, 2002

	Male	Female
Canada	••	••
Newfoundland and Labrador	750	488
St. John's (NF1)	558	401
Eastern (NF2)	697	407
Central (NF3)	672	476
Prince Edward Island	732	551
Nova Scotia	609	438
South-SW (NS1)	550	378
Colch-Cumb-E.Hants (NS3)	748	490
Cape Breton (NS5)	683	434
Capital (NS6)	510	401
New Brunswick	923	582
Moncton (NB1)	675	427
Sussex/Saint John (NB2)	654	479
Fredericton (NB3)	935	631

Table 202. Inpatient ambulatory care sensitive conditions (ACSC), age standardized rate per 100,000 population, by sex, Canada, Atlantic Provinces, and reporting Health Districts, 2002

	Male	Female
Canada	418	383
Newfoundland and Labrador	561	551
St. John's (NF1)	432	417
Eastern (NF2)	462	529
Central (NF3)	452	496
Prince Edward Island	1,030	1,153
Nova Scotia	480	420
South-SW (NS1)	494	415
Colch-Cumb-E.Hants (NS3)	527	550
Cape Breton (NS5)	535	456
Capital (NS6)	370	304
New Brunswick	660	624
Moncton (NB1)	499	458
Sussex/Saint John (NB2)	431	377
Fredericton (NB3)	612	690



Table 203. Percentage of patients hospitalized in acute care facilities for conditions or procedures that may not require hospitalization (MNRH), Canada, Atlantic Provinces, and reporting Health Districts, 2002

	Male		Fe	emale
	%	Province	%	Province
Canada				
Newfoundland and Labrador	10.1		9.1	
St. John's (NF1)	10.7	✓	8.8	×
Eastern (NF2)	8.6	×	7.9	×
Central (NF3)	10.3	✓	9.6	✓
Prince Edward Island	10.4		8.7	
Nova Scotia	8.3		6.8	
South-SW (NS1)	8.4	✓	6.2	×
Colch-Cumb-E.Hants (NS3)	8.8	✓	6.9	✓
Cape Breton (NS5)	8.9	✓	7.6	✓
Capital (NS6)	7.7	×	6.2	×
New Brunswick	10.2		8.3	
Moncton (NB1)	9.2	×	7.3	×
Sussex/Saint John (NB2)	8.8	×	6.6	×
Fredericton (NB3)	9.3	×	8.5	√

^{× -} lower percentage than the province or nation

^{✓ -} higher percentage than the province or nation



Table 204. Acute myocardial infarction (AMI) and hysterectomy risk adjusted readmission rates, and Canada, Atlantic Provinces, and reporting Health Districts, 2002

	readm	AMI readmission Both sexes		ectomy nission nale
	Canada Province		Canada	Province
Canada				
Newfoundland and Labrador	-		×	
St. John's (NF1)	-	-	×	×
Eastern (NF2)	-	-	×	×
Central (NF3)	1	1	1	-
Prince Edward Island	×		×	
Nova Scotia	×		✓	
South-SW (NS1)	×	×	-	-
Colch-Cumb-E.Hants (NS3)	×	×	✓	S
Cape Breton (NS5)	×	×	1	-
Capital (NS6)	✓	✓	×	×
New Brunswick	×		✓	
Moncton (NB1)	×	✓	✓	✓
Sussex/Saint John (NB2)	✓	✓	×	×
Fredericton (NB3)	×	×	✓	×

^{× -} less favourable rate than the province or nation ✓ - more favourable rate than the province or nation "-" - no data available for comparison



Table 205. Unplanned readmission following discharge for acute myocardial infarction (AMI), risk adjusted rate (%), both sexes, Canada, Atlantic Provinces, and reporting Health Districts, 2002

	Both sexes				
	Rate	95% CI	95% CI		
	Kate	Low	High		
Canada	7.3‡	••	••		
Newfoundland and Labrador		••	••		
St. John's (NF1)		:			
Eastern (NF2)		:			
Central (NF3)		:			
Prince Edward Island	10.7	8.8	12.7		
Nova Scotia	8.0	7.1	8.8		
South-SW (NS1)	8.9	6.9	10.8		
Colch-Cumb-E.Hants (NS3)	10.0	7.4	12.5		
Cape Breton (NS5)	9.6	7.9	11.3		
Capital (NS6)	3.2	1.7	4.6		
New Brunswick	8.6	7.7	9.5		
Moncton (NB1)	7.6	5.8	9.4		
Sussex/Saint John (NB2)	5.0	3.2	6.8		
Fredericton (NB3)	9.5	7.7	11.2		

 $[\]dagger$ Data were suppressed due to small numbers

Table 206. Unplanned readmission following discharge for asthma, risk adjusted rate (%), both sexes, Canada, Atlantic Provinces, and reporting Health Districts, 2002

	Rate	95% CI Low	95% CI High
Canada	6.4‡		Ingn
Newfoundland and Labrador	4.9	3.6	6.3
St. John's (NF1)	4.0	1.5	6.6
Eastern (NF2)	4.5	1.8	7.2
Central (NF3)	†	†	†
Prince Edward Island	7.3	5.2	9.4
Nova Scotia	6.6	5.5	7.8
South-SW (NS1)	7.9	5.1	10.7
Colch-Cumb-E.Hants (NS3)	†	†	†
Cape Breton (NS5)	4.2	1.3	7.0
Capital (NS6)	9.6	7.5	11.6
New Brunswick	6.1	5.1	7.1
Moncton (NB1)	7.3	5.2	9.4
Sussex/Saint John (NB2)	4.6	1.6	7.6
Fredericton (NB3)	5.4	3.3	7.4

[†] Data were suppressed due to small numbers

[‡] The average rate includes only provinces/territories for which comparable data were available

[‡] The average rate includes only provinces/territories for which comparable data were available



Table 207. Unplanned readmission following discharge for hysterectomy, risk adjusted rate (%), both sexes, Canada, Atlantic Provinces, and reporting Health Districts, 2002

	D-4-	95% CI	95% CI
	Rate	Low	High
Canada	1.0‡	••	••
Newfoundland and Labrador	1.1	0.8	1.4
St. John's (NF1)	1.3	0.7	1.9
Eastern (NF2)	1.4	0.7	2.0
Central (NF3)	†	†	†
Prince Edward Island	1.3	0.6	2.0
Nova Scotia	0.9	0.6	1.1
South-SW (NS1)	†	†	†
Colch-Cumb-E.Hants (NS3)	0.9	0.1	1.6
Cape Breton (NS5)	†	†	†
Capital (NS6)	1.4	1.0	1.8
New Brunswick	0.8	0.5	1.0
Moncton (NB1)	0.7	0.1	1.2
Sussex/Saint John (NB2)	1.8	1.2	2.4
Fredericton (NB3)	0.9	0.2	1.5

[†] Data were suppressed due to small numbers.

[‡] The average rate includes only provinces/territories for which comparable data were available.



Table 208. Coronary artery bypass graft surgery, total unilateral or bilateral hip replacement surgery, and Total unilateral or bilateral knee replacement surgery, age-standardized rate per 100,000 population, by sex, Canada, Atlantic Provinces, and reporting Health Districts, 2002

			pass ry rate		Н		laceme	nt	Kı	nee rep surgei	laceme y rate	ent
	M	ale	Fen	nale	M	ale	Fen	nale	M	ale	Fen	nale
	Canada	Province	Canada	Province	Canada	Province	Canada	Province	Canada	Province	Canada	Province
Canada												
Newfoundland and Labrador	×		×		✓		✓		✓		✓	
St. John's (NF1)	×	×	×	✓	✓	✓	✓	✓	✓	✓	✓	×
Eastern (NF2)	×	×	×	×	✓	✓	✓	✓	✓	✓	✓	✓
Central (NF3)	×	✓	✓	✓	✓	×	✓	×	✓	×	✓	×
Prince Edward Island	✓		✓		×		✓		×		✓	
Nova Scotia	×		×		×		×		×		×	
South-SW (NS1)	×	×	×	×	×	✓	×	✓	×	✓	×	✓
Colch-Cumb-E.Hants (NS3)	×	×	×	×	×	✓	×	×	✓	✓	×	×
Cape Breton (NS5)	×	✓	×	✓	×	×	×	×	×	✓	×	✓
Capital (NS6)	×	✓	×	✓	×	✓	×	✓	×	×	×	×
New Brunswick	✓		✓		×		×		×		✓	
Moncton (NB1)	✓	✓	✓	✓	✓	✓	×	✓	✓	✓	×	×
Sussex/Saint John (NB2)	S	✓	✓	✓	×	×	×	×	×	×	×	×
Fredericton (NB3)	✓	✓	×	✓	×	×	×	×	×	×	×	✓

^{× -} less favourable rate than the province or nation ✓ - more favourable rate than the province or nation "-" - no data available for comparison



Table 209. Coronary artery bypass graft surgery, agestandardized rate per 100,000 population age 20 and over, by sex, Canada, Atlantic Provinces, and reporting Health Districts, 2002

	Male	Female
Canada	153.1	41.9
Newfoundland and Labrador	183.1	53.6
St. John's (NF1)	196.9	52.1
Eastern (NF2)	225.0	58.6
Central (NF3)	160.1	35.0
Prince Edward Island	117.0	38.4
Nova Scotia	181.8	56.1
South-SW (NS1)	180.8	65.1
Colch-Cumb-E.Hants (NS3)	159.0	75.0
Cape Breton (NS5)	189.9	54.6
Capital (NS6)	199.1	52.7
New Brunswick	132.9	37.9
Moncton (NB1)	103.9	36.5
Sussex/Saint John (NB2)	153.1	36.3
Fredericton (NB3)	131.1	42.6

Table 210. Total unilateral or bilateral hip replacement surgery, age-standardized rate per 100,000 population, by sex, Canada, Atlantic Provinces, and reporting Health Districts, 2002

	Male	Female
Canada	56.0	62.0
Newfoundland and Labrador	26.9	43.1
St. John's (NF1)	22.5	45.2
Eastern (NF2)	22.6	37.5
Central (NF3)	35.4	51.2
Prince Edward Island	70.2	56.1
Nova Scotia	63.3	85.5
South-SW (NS1)	56.5	62.6
Colch-Cumb-E.Hants (NS3)	48.0	93.7
Cape Breton (NS5)	59.6	79.7
Capital (NS6)	69.9	87.9
New Brunswick	60.6	59.8
Moncton (NB1)	50.5	67.6
Sussex/Saint John (NB2)	70.2	72.3
Fredericton (NB3)	74.2	57.0



Table 211. Total unilateral or bilateral knee replacement surgery, age-standardized rate per 100,000 population, by sex, Canada, Atlantic Provinces, and reporting Health Districts, 2002

	Male	Female
Canada	59.0	71.4
Newfoundland and Labrador	36.9	35.9
St. John's (NF1)	25.6	29.8
Eastern (NF2)	33.9	30.6
Central (NF3)	46.9	40.5
Prince Edward Island	79.1	56.1
Nova Scotia	93.2	104.5
South-SW (NS1)	81.1	103.8
Colch-Cumb-E.Hants (NS3)	83.4	122.8
Cape Breton (NS5)	128.8	134.7
Capital (NS6)	80.4	88.9
New Brunswick	69.1	81.4
Moncton (NB1)	54.7	81.2
Sussex/Saint John (NB2)	85.8	102.1
Fredericton (NB3)	89.6	93.3



Table 212. General/Family practitioners and specialists, rate per 100,000 population, both sexes, Canada, Atlantic Provinces, and reporting Health Districts, 1999

	General/	Family Pra	actitioners		Specialists	
	Rate per 100,000	Canada	Province	Rate per 100,000	Canada	Province
Canada	95			92		
Newfoundland and Labrador	103	×		68	✓	
St. John's (NF1)	119	×	×	158	×	×
Eastern (NF2)	91	✓	✓	11	✓	✓
Central (NF3)	97	×	✓	30	✓	✓
Prince Edward Island	75	✓		56	✓	
Nova Scotia	102	×		97	×	
South-SW (NS1)	87	✓	✓	45	✓	✓
Colch-Cumb-E.Hants (NS3)	82	✓	✓	33	✓	✓
Cape Breton (NS5)	88	✓	✓	56	✓	✓
Capital (NS6)	126	×	×	168	×	×
New Brunswick	91	✓		63	✓	
Moncton (NB1)	92	✓	×	78	✓	×
Sussex/Saint John (NB2)	84	✓	✓	83	✓	×
Fredericton (NB3)	83	✓	✓	60	✓	✓

^{× -} less favourable rate than the province or nation ✓ - more favourable rate than the province or nation



Table 213. Physicians per 100,000 population by type, Canada, Provinces and Territories, 1997-2001

			Famil	y Medic	ine				Sp	ecialists	S	
	1997	1998	1999	2000	2001	% change (97-01)	1997	1998	1999	2000	2001	% change (97-01)
Newfoundland and Labrador	103	103	103	106	112	8.7%	66	67	68	66	65	-1.5%
Prince Edward Island	69	73	75	75	83	20.3%	51	55	56	52	54	5.9%
Nova Scotia	99	101	102	101	102	3.0%	90	94	97	100	98	8.9%
New Brunswick	87	90	91	90	92	5.7%	62	63	63	63	63	1.6%
Quebec	103	105	105	106	106	2.9%	106	106	106	108	108	1.9%
Ontario	86	86	85	85	85	-1.2%	92	93	94	95	95	3.3%
Manitoba	88	89	91	92	94	6.8%	89	88	88	89	88	-1.1%
Saskatchewan	85	87	92	91	93	9.4%	59	62	61	62	60	1.7%
Alberta	83	86	88	86	87	4.8%	74	77	79	80	80	8.1%
British Columbia	105	106	105	106	108	2.9%	86	87	88	88	89	3.5%
Yukon Territory	135	125	114	116	168	24.4%	22	19	20	20	13	-40.9%
Northwest Territories	77	69	84	69	60	-22.1%	21	22	28	43	32	52.4%
Nunavut			37	21	24	n/a			4	4	0	n/a
Canada	93	94	95	94	95	2.2%	90	91	92	93	93	3.3%



Table 214. Number of Registered Nurses employed in nursing by province/territory of registration, 1997-2001

	1997	1998	1999	2000	2001	% Change (97-01)
Newfoundland and Labrador	5,210	5,340	5,264	5,394	5,439	4.4%
Prince Edward Island	1,281	1,277	1,232	1,255	1,270	-0.9%
Nova Scotia	8,587	8,525	8,615	8,699	8,554	-0.4%
New Brunswick	7,342	7,404	7,580	7,256	7,385	0.6%
Quebec	59,160	56,825	57,980	58,750	58,482	-1.1%
Ontario	78,067	78,825	78,197	81,679	80,590	3.2%
Manitoba	10,473	10,162	10,193	10,051	10,263	-2.0%
Saskatchewan	8,456	8,455	8,553	8,543	8,198	-3.1%
Alberta	21,238	21,976	22,044	22,172	22,924	7.9%
British Columbia	27,964	28,001	27,911	27,730	27,375	-2.1%
Yukon Territory	302	286	283	275	273	-9.6%
Northwest Territories	633	738	682	762	471	19.9%
Nunavut					288	19.9%
Canada	228,713	227,814	228,534	232,566	231,512	1.2%

Nunavut data not available before 2001. Data from the northern territories (Yukon, Northwest Territories, Nunavut) include RNs working in more than one jurisdiction. Historical data from New Brunswick, Manitoba, Alberta and British Columbia have been revised from previously published statistics. The 19.9% increase indicated for the Northwest Territories and Nunavut was calculated by combining 2001 data.

CIHI figures will differ from provincial/territorial figures for three reasons: (1) CIHI data are collected at the six-month mark, as opposed to year-end figures; (2) CIHI removes "secondary" registrations that do not reflect primary employment; and, (3) provincial/territorial associations/colleges may improve the completeness of data at year-end.

Source: Registered Nurses Database, Canadian Institute for Health Information



Table 215. Registered Nurses rate per 10,000 population, Canada and Atlantic Provinces, 1997-2001

	1997	1998	1999	2000	2001	% Change (97-01)
Newfoundland and Labrador	94.7	98.3	97.5	100.6	102.0	7.7
Prince Edward Island	93.6	93.0	89.3	90.8	91.4	-2.4
Nova Scotia	91.8	90.9	91.5	92.3	90.7	-1.2
New Brunswick	97.3	98.3	100.4	96.0	97.6	0.3
Quebec	80.9	77.5	78.7	79.5	78.8	-2.6
Ontario	69.0	68.9	67.5	69.5	67.6	-2.0
Manitoba	92.2	89.2	89.1	87.6	89.3	-3.1
Saskatchewan	82.6	82.4	83.5	83.8	80.8	-2.2
Alberta	74.1	74.9	74.0	73.1	74.5	0.5
British Columbia	70.2	69.8	69.0	68.1	66.7	-5.0
Yukon Territory	94.6	92.1	92.2	91.3	91.9	-2.9
Northwest Territories	93.7	109.2	100.2	111.1	116.1	23.9
Nunavut					100.9	-
Canada	76.0	75.1	74.6	75.3	74.3	-2.2



Table 216. Total health expenditure, by province/territory and Canada, 1975 to 2002, current dollars per capita

	Nfld.	PEI	NS	NB	Quebec	Ontario	Manitoba	Sask.	Alberta	ВС	Yukon Territory	NWT	Nunavut	Canada (average)
1975	\$475	\$503	\$463	\$410	\$534	\$532	\$533	\$481	\$549	\$554	\$726	\$819		\$527
1976	\$556	\$530	\$529	\$467	\$606	\$599	\$610	\$559	\$620	\$643	\$804	\$881		\$599
1977	\$642	\$573	\$559	\$516	\$653	\$650	\$680	\$622	\$653	\$713	\$810	\$1,104		\$651
1978	\$728	\$653	\$607	\$578	\$724	\$707	\$719	\$654	\$725	\$783	\$899	\$1,248		\$714
1979	\$831	\$785	\$675	\$668	\$796	\$777	\$794	\$733	\$849	\$860	\$998	\$1,289		\$792
1980	\$923	\$989	\$771	\$797	\$905	\$873	\$939	\$843	\$982	\$1,050	\$1,073	\$1,319		\$910
1981	\$1,081	\$1,102	\$923	\$964	\$1,052	\$1,010	\$1,113	\$972	\$1,144	\$1,216	\$1,178	\$1,552		\$1,059
1982	\$1,220	\$1,230	\$1,069	\$1,157	\$1,199	\$1,171	\$1,273	\$1,145	\$1,415	\$1,348	\$1,518	\$2,229		\$1,225
1983	\$1,335	\$1,312	\$1,156	\$1,251	\$1,314	\$1,311	\$1,394	\$1,255	\$1,515	\$1,431	\$1,611	\$2,420		\$1,342
1984	\$1,295	\$1,352	\$1,283	\$1,352	\$1,405	\$1,427	\$1,485	\$1,350	\$1,575	\$1,504	\$1,585	\$2,392		\$1,435
1985	\$1,356	\$1,420	\$1,393	\$1,418	\$1,505	\$1,553	\$1,595	\$1,491	\$1,694	\$1,560	\$1,630	\$2,547		\$1,542
1986	\$1,409	\$1,461	\$1,548	\$1,505	\$1,571	\$1,706	\$1,731	\$1,655	\$1,830	\$1,660	\$1,740	\$3,052		\$1,661
1987	\$1,533	\$1,578	\$1,747	\$1,640	\$1,661	\$1,852	\$1,803	\$1,712	\$1,848	\$1,752	\$1,741	\$3,293		\$1,769
1988	\$1,619	\$1,698	\$1,766	\$1,768	\$1,795	\$2,013	\$1,878	\$1,787	\$1,968	\$1,874	\$1,720	\$3,792		\$1,902
1989	\$1,720	\$1,840	\$1,938	\$1,904	\$1,918	\$2,173	\$2,046	\$2,014	\$2,144	\$2,035	\$1,826	\$4,085		\$2,056
1990	\$1,897	\$1,963	\$2,054	\$2,072	\$2,043	\$2,311	\$2,247	\$2,236	\$2,257	\$2,241	\$1,928	\$4,190		\$2,203
1991	\$1,990	\$2,153	\$2,157	\$2,185	\$2,213	\$2,512	\$2,322	\$2,314	\$2,338	\$2,409	\$2,164	\$4,587		\$2,365
1992	\$2,064	\$2,254	\$2,214	\$2,271	\$2,302	\$2,614	\$2,428	\$2,316	\$2,441	\$2,527	\$2,228	\$4,481		\$2,460
1993	\$2,084	\$2,355	\$2,196	\$2,320	\$2,359	\$2,632	\$2,458	\$2,286	\$2,441	\$2,603	\$2,600	\$4,517		\$2,493
1994	\$2,171	\$2,344	\$2,186	\$2,386	\$2,402	\$2,657	\$2,493	\$2,359	\$2,331	\$2,675	\$3,096	\$4,392		\$2,520
1995	\$2,223	\$2,421	\$2,270	\$2,405	\$2,387	\$2,678	\$2,573	\$2,404	\$2,221	\$2,684	\$3,066	\$4,414		\$2,525
1996	\$2,249	\$2,482	\$2,249	\$2,409	\$2,332	\$2,681	\$2,612	\$2,439	\$2,269	\$2,674	\$3,418	\$4,331		\$2,520
1997	\$2,359	\$2,483	\$2,528	\$2,460	\$2,433	\$2,745	\$2,719	\$2,599	\$2,491	\$2,737	\$3,164	\$4,537		\$2,620
1998	\$2,630	\$2,618	\$2,719	\$2,545	\$2,582	\$2,896	\$2,881	\$2,706	\$2,612	\$2,852	\$3,271	\$5,210		\$2,765
1999	\$2,909	\$2,726	\$2,825	\$2,736	\$2,705	\$3,059	\$3,204	\$2,884	\$2,920	\$3,038	\$3,477	\$5,680	\$4,894	\$2,943
2000	\$3,129	\$2,865	\$2,972	\$2,944	\$2,870	\$3,312	\$3,500	\$3,056	\$3,163	\$3,260	\$3,768	\$5,249	\$5,876	\$3,164
2001	\$3,453	\$3,106	\$3,138	\$3,213	\$3,075	\$3,490	\$3,699	\$3,294	\$3,520	\$3,586	\$4,232	\$5,803	\$6,191	\$3,395
2002	\$3,587	\$3,365	\$3,304	\$3,432	\$3,182	\$3,674	\$3,955	\$3,449	\$3,761	\$3,798	\$4,568	\$6,142	\$6,467	\$3,572



Table 217. Total health expenditure, Canada, Provinces and Territories, 1975 to 2002, annual percentage change

	Nfld.	PEI	NS	NB	Quebec	Ontario	Manitoba	Sask.	Alberta	ВС	Yukon Territory	NWT	Nunavut	Canada (average)
1975														
1976	16.9	5.4	14.4	13.9	13.5	12.7	14.4	16.1	13.0	16.1	10.7	7.6		13.7
1977	15.4	8.1	5.5	10.5	7.8	8.4	11.5	11.3	5.4	10.9	0.7	25.3		8.7
1978	13.4	14.1	8.6	12.2	10.9	8.8	5.8	5.2	11.0	9.7	11.0	13.1		9.6
1979	14.2	20.2	11.2	15.6	9.9	9.9	10.3	12.1	17.1	9.8	11.0	3.3		10.9
1980	11.0	25.9	14.2	19.2	13.6	12.4	18.3	15.0	15.7	22.2	7.5	2.3		14.8
1981	17.1	11.5	19.8	21.1	16.3	15.7	18.5	15.3	16.5	15.7	9.8	17.7		16.4
1982	12.9	11.6	15.8	20.0	14.0	15.9	14.4	17.7	23.8	10.9	28.9	43.6		15.7
1983	9.4	6.6	8.2	8.1	9.6	12.0	9.5	9.7	7.1	6.2	6.1	8.6		9.6
1984	-3.0	3.1	11.0	8.1	6.9	8.9	6.6	7.6	3.9	5.1	-1.6	-1.1		6.9
1985	4.7	5.0	8.5	4.9	7.2	8.9	7.4	10.4	7.6	3.7	2.8	6.5		7.4
1986	3.9	2.9	11.2	6.1	4.4	9.8	8.5	11.0	8.0	6.4	6.7	19.8		7.7
1987	8.8	8.0	12.8	9.0	5.8	8.6	4.2	3.4	1.0	5.5	0.0	7.9		6.5
1988	5.6	7.6	1.1	7.8	8.1	8.7	4.1	4.4	6.5	7.0	-1.2	15.1		7.5
1989	6.3	8.4	9.7	7.7	6.8	7.9	8.9	12.7	8.9	8.6	6.2	7.7		8.1
1990	10.3	6.7	6.0	8.8	6.5	6.3	9.8	11.0	5.3	10.1	5.6	2.6		7.2
1991	4.9	9.7	5.0	5.5	8.3	8.7	3.3	3.5	3.6	7.5	12.2	9.5		7.3
1992	3.7	4.7	2.6	3.9	4.0	4.1	4.6	0.1	4.4	4.9	2.9	-2.3		4.0
1993	1.0	4.5	-0.8	2.2	2.5	0.7	1.2	-1.3	0.0	3.0	16.7	0.8		1.3
1994	4.2	-0.5	-0.4	2.8	1.8	1.0	1.4	3.2	-4.5	2.8	19.1	-2.8		1.1
1995	2.4	3.3	3.8	0.8	-0.6	0.8	3.2	1.9	-4.7	0.3	-1.0	0.5		0.2
1996	1.2	2.5	-0.9	0.2	-2.3	0.1	1.5	1.5	2.2	-0.4	11.5	-1.9		-0.2
1997	4.9	0.0	12.4	2.1	4.3	2.4	4.1	6.5	9.8	2.4	-7.4	4.8		4.0
1998	11.5	5.4	7.5	3.5	6.1	5.5	5.9	4.1	4.9	4.2	3.4	14.8		5.5
1999	10.6	4.1	3.9	7.5	4.8	5.6	11.2	6.6	11.8	6.5	6.3	9.0		6.4
2000	7.6	5.1	5.2	7.6	6.1	8.3	9.2	6.0	8.3	7.3	8.4	-7.6	20.1	7.5
2001	10.4	8.4	5.6	9.1	7.2	5.4	5.7	7.8	11.3	10.0	12.3	10.6	5.4	7.3
2002	3.9	8.3	5.3	6.8	3.5	5.3	6.9	4.7	6.8	5.9	7.9	5.8	4.5	5.2



Table 218. Health expenditure by use of funds, by source of finance, Canada, 1975-2002, current dollars (millions)

	Hospitals	Other Institutions	Physicians	Other Professionals	Drugs	Capital	Public Health & Admin	Other Health Spending	Total
1975	\$5,454.8	\$1,124.3	\$1,839.9	\$1,094.6	\$1,076.2	\$536.1	\$514.9	\$559.7	\$12,200.6
1976	\$6,357.3	\$1,367.7	\$2,071.0	\$1,273.0	\$1,197.9	\$544.1	\$630.4	\$609.7	\$14,051.1
1977	\$6,791.9	\$1,575.9	\$2,284.4	\$1,491.4	\$1,309.5	\$563.7	\$720.4	\$714.0	\$15,451.2
1978	\$7,380.6	\$1,850.3	\$2,566.7	\$1,711.7	\$1,442.0	\$672.2	\$714.7	\$770.2	\$17,108.4
1979	\$8,113.5	\$2,169.5	\$2,857.0	\$1,957.2	\$1,655.3	\$725.1	\$808.1	\$884.3	\$19,170.1
1980	\$9,333.7	\$2,536.2	\$3,287.5	\$2,260.0	\$1,881.5	\$990.7	\$950.5	\$1,059.7	\$22,299.9
1981	\$11,029.6	\$2,882.0	\$3,824.8	\$2,626.9	\$2,328.9	\$1,111.2	\$1,117.2	\$1,358.3	\$26,278.9
1982	\$13,091.3	\$3,356.8	\$4,420.8	\$3,037.5	\$2,635.9	\$1,394.8	\$1,332.6	\$1,491.7	\$30,761.4
1983	\$14,416.5	\$3,727.9	\$5,052.7	\$3,350.2	\$2,949.6	\$1,436.6	\$1,435.3	\$1,672.2	\$34,040.9
1984	\$15,343.8	\$3,907.2	\$5,525.8	\$3,681.7	\$3,310.8	\$1,504.1	\$1,591.3	\$1,881.8	\$36,746.6
1985	\$16,260.1	\$4,103.2	\$6,045.7	\$4,133.0	\$3,801.5	\$1,651.2	\$1,788.8	\$2,061.8	\$39,845.2
1986	\$17,637.2	\$4,087.2	\$6,674.8	\$4,523.8	\$4,417.1	\$1,801.4	\$1,840.7	\$2,358.5	\$43,340.7
1987	\$18,951.1	\$4,329.2	\$7,342.8	\$4,913.5	\$4,914.9	\$1,871.8	\$1,946.8	\$2,521.8	\$46,791.9
1988	\$20,400.3	\$4,738.7	\$7,942.5	\$5,393.4	\$5,521.7	\$1,901.7	\$2,059.8	\$3,001.6	\$50,959.8
1989	\$22,236.5	\$5,141.3	\$8,507.2	\$5,956.2	\$6,238.5	\$2,092.8	\$2,297.3	\$3,626.4	\$56,096.3
1990	\$23,819.9	\$5,748.2	\$9,247.2	\$6,497.6	\$6,930.5	\$2,123.7	\$2,570.1	\$4,090.5	\$61,027.6
1991	\$25,662.0	\$6,344.9	\$10,210.3	\$7,034.0	\$7,705.3	\$2,027.5	\$2,806.1	\$4,503.7	\$66,293.6
1992	\$26,653.5	\$6,787.1	\$10,453.6	\$7,395.4	\$8,518.8	\$2,058.0	\$3,073.3	\$4,871.3	\$69,810.9
1993	\$26,739.5	\$6,794.8	\$10,503.8	\$7,732.7	\$9,179.6	\$2,016.9	\$3,241.5	\$5,352.8	\$71,561.5
1994	\$26,246.5	\$6,920.1	\$10,736.9	\$8,149.8	\$9,437.5	\$2,272.8	\$3,623.9	\$5,788.7	\$73,176.3
1995	\$25,645.1	\$7,130.2	\$10,642.2	\$8,567.3	\$10,102.6	\$2,263.1	\$3,786.8	\$5,983.2	\$74,120.5
1996	\$25,459.7	\$7,251.2	\$10,763.7	\$8,843.0	\$10,358.1	\$2,160.0	\$3,912.4	\$6,031.6	\$74,779.7
1997	\$26,202.5	\$7,504.7	\$11,182.2	\$9,641.8	\$11,408.8	\$2,122.0	\$3,956.0	\$6,556.1	\$78,574.2
1998	\$27,560.8	\$7,808.4	\$11,722.3	\$10,094.6	\$12,518.3	\$2,298.3	\$4,760.7	\$6,871.2	\$83,634.6
1999	\$28,718.1	\$8,543.6	\$12,228.9	\$10,858.8	\$13,492.1	\$3,108.5	\$5,159.4	\$7,679.1	\$89,788.6
2000	\$31,245.3	\$9,139.2	\$12,999.6	\$11,603.4	\$15,051.0	\$3,513.4	\$5,796.8	\$8,071.5	\$97,420.0
2001	\$33,076.1	\$9,779.1	\$14,017.1	\$12,441.0	\$16,837.8	\$4,405.1	\$6,483.2	\$8,565.8	\$105,605.2
2002	\$35,159.3	\$10,399.5	\$15,010.3	\$13,015.4	\$18,136.8	\$4,826.1	\$6,676.5	\$8,988.9	\$112,213.0



Table 219. Newfoundland and Labrador health expenditures, 1975-2002, current dollars (millions)

	Hospitals	Other Institutions	Physicians	Other Professionals	Drugs	Capital	Public Health & Admin	Other Health Spending	Total
1975	\$115.9	\$17.6	\$26.6	\$13.1	\$43.2	\$28.7	\$8.7	\$10.7	\$264.5
1976	\$129.3	\$25.7	\$30.6	\$14.4	\$68.0	\$22.5	\$10.0	\$12.4	\$312.8
1977	\$144.0	\$33.7	\$32.4	\$17.5	\$97.2	\$15.2	\$8.8	\$13.9	\$362.7
1978	\$165.7	\$40.1	\$33.9	\$20.8	\$113.1	\$13.0	\$10.2	\$15.9	\$412.6
1979	\$194.4	\$49.3	\$37.8	\$28.4	\$121.4	\$14.2	\$11.3	\$16.7	\$473.3
1980	\$220.2	\$59.0	\$44.8	\$31.1	\$129.9	\$10.2	\$12.7	\$20.4	\$528.4
1981	\$257.2	\$64.9	\$51.5	\$32.1	\$158.6	\$13.6	\$15.1	\$28.1	\$621.3
1982	\$293.9	\$74.9	\$60.4	\$35.5	\$166.6	\$17.3	\$18.0	\$34.5	\$701.2
1983	\$325.1	\$82.0	\$68.2	\$38.2	\$168.5	\$35.6	\$19.2	\$36.9	\$773.7
1984	\$335.7	\$82.1	\$75.7	\$42.5	\$124.8	\$31.6	\$19.9	\$39.0	\$751.2
1985	\$346.7	\$87.5	\$79.9	\$50.4	\$127.9	\$32.9	\$21.9	\$38.3	\$785.7
1986	\$375.3	\$97.4	\$86.6	\$55.0	\$104.2	\$28.5	\$24.3	\$41.2	\$812.5
1987	\$398.2	\$106.5	\$95.4	\$63.3	\$115.9	\$31.1	\$25.7	\$45.6	\$881.6
1988	\$436.8	\$111.5	\$106.1	\$67.1	\$121.2	\$13.7	\$24.8	\$49.6	\$930.9
1989	\$464.3	\$121.0	\$115.8	\$70.5	\$127.4	\$12.2	\$26.0	\$54.4	\$991.6
1990	\$518.6	\$136.9	\$127.2	\$68.9	\$136.5	\$19.4	\$29.2	\$59.8	\$1,096.4
1991	\$550.2	\$145.0	\$130.8	\$73.5	\$146.4	\$13.7	\$29.4	\$64.3	\$1,153.2
1992	\$576.9	\$137.0	\$134.9	\$77.7	\$158.0	\$19.8	\$31.7	\$61.3	\$1,197.4
1993	\$566.7	\$134.3	\$136.0	\$78.1	\$167.1	\$21.8	\$34.9	\$70.1	\$1,209.1
1994	\$573.1	\$140.5	\$138.8	\$81.5	\$173.5	\$21.6	\$40.5	\$78.4	\$1,248.0
1995	\$552.2	\$152.1	\$142.3	\$92.3	\$185.4	\$24.8	\$43.9	\$69.5	\$1,262.5
1996	\$546.7	\$152.4	\$143.1	\$90.2	\$194.1	\$12.8	\$47.7	\$73.7	\$1,260.8
1997	\$550.2	\$163.9	\$153.7	\$89.8	\$185.4	\$19.9	\$53.8	\$90.0	\$1,306.8
1998	\$592.6	\$168.5	\$162.2	\$97.3	\$198.6	\$59.0	\$66.7	\$89.1	\$1,434.1
1999	\$610.5	\$171.9	\$171.9	\$108.7	\$216.7	\$116.9	\$76.2	\$100.4	\$1,573.3
2000	\$643.3	\$176.1	\$182.3	\$116.6	\$244.0	\$106.8	\$98.4	\$115.4	\$1,683.0
2001	\$719.4	\$192.9	\$189.9	\$126.7	\$269.1	\$109.0	\$114.0	\$122.6	\$1,843.5
2002	\$753.5	\$202.5	\$199.6	\$134.3	\$282.8	\$78.3	\$123.9	\$131.7	\$1,906.6



Table 220. Prince Edward Island health expenditures, 1975-2002, current dollars (millions)

	Hospitals	Other Institutions	Physicians	Other Professionals	Drugs	Capital	Public Health & Admin	Other Health Spending	Total
1975	\$24.4	\$8.0	\$6.5	\$4.3	\$9.9	\$1.4	\$2.9	\$1.9	\$59.2
1976	\$26.6	\$8.8	\$7.2	\$5.2	\$8.7	\$0.7	\$3.8	\$2.0	\$62.9
1977	\$28.5	\$9.9	\$8.0	\$6.0	\$8.1	\$1.5	\$4.6	\$2.2	\$68.7
1978	\$32.2	\$10.8	\$9.0	\$6.3	\$11.6	\$1.9	\$5.5	\$2.2	\$79.5
1979	\$36.1	\$12.0	\$9.6	\$6.7	\$16.0	\$6.9	\$6.4	\$2.8	\$96.6
1980	\$40.9	\$14.1	\$10.9	\$7.2	\$19.3	\$19.4	\$7.2	\$3.3	\$122.3
1981	\$47.0	\$16.0	\$12.7	\$8.8	\$25.9	\$13.6	\$8.1	\$4.2	\$136.4
1982	\$56.9	\$17.8	\$15.1	\$9.5	\$31.7	\$9.3	\$7.5	\$4.7	\$152.4
1983	\$62.3	\$18.2	\$16.9	\$10.7	\$36.0	\$5.9	\$9.1	\$5.5	\$164.6
1984	\$65.0	\$21.1	\$18.0	\$11.5	\$31.9	\$7.2	\$10.0	\$6.5	\$171.2
1985	\$68.1	\$25.0	\$19.9	\$12.2	\$32.7	\$6.2	\$10.1	\$7.1	\$181.3
1986	\$72.5	\$29.0	\$22.2	\$13.6	\$28.0	\$6.5	\$8.0	\$7.8	\$187.6
1987	\$77.3	\$32.4	\$24.5	\$14.9	\$28.8	\$8.7	\$7.6	\$8.8	\$202.9
1988	\$84.8	\$34.9	\$26.4	\$17.8	\$29.4	\$7.3	\$8.1	\$10.7	\$219.5
1989	\$93.5	\$37.6	\$28.4	\$21.5	\$30.9	\$4.9	\$8.7	\$13.9	\$239.3
1990	\$101.6	\$39.2	\$30.2	\$22.4	\$35.9	\$2.4	\$9.7	\$14.8	\$256.2
1991	\$109.1	\$39.3	\$31.4	\$25.9	\$38.8	\$8.5	\$10.9	\$16.6	\$280.6
1992	\$110.3	\$43.0	\$32.4	\$27.5	\$43.9	\$7.7	\$10.7	\$19.4	\$295.0
1993	\$112.6	\$47.4	\$32.5	\$28.6	\$47.9	\$9.0	\$10.8	\$22.9	\$311.7
1994	\$114.1	\$41.2	\$32.2	\$30.6	\$50.3	\$6.7	\$11.0	\$27.2	\$313.3
1995	\$118.5	\$40.2	\$32.8	\$32.8	\$54.7	\$4.8	\$11.4	\$31.1	\$326.3
1996	\$122.0	\$46.5	\$33.6	\$35.6	\$52.3	\$4.9	\$13.7	\$29.5	\$338.0
1997	\$123.7	\$47.9	\$34.4	\$34.0	\$53.0	\$6.9	\$15.3	\$24.7	\$339.9
1998	\$127.6	\$48.0	\$37.0	\$34.0	\$61.8	\$9.4	\$17.0	\$23.6	\$358.4
1999	\$132.2	\$52.5	\$38.1	\$34.9	\$64.8	\$9.2	\$20.1	\$23.8	\$375.5
2000	\$138.9	\$54.4	\$40.5	\$33.4	\$69.4	\$10.8	\$23.6	\$25.4	\$396.3
2001	\$144.6	\$56.6	\$46.9	\$34.9	\$74.9	\$19.2	\$26.3	\$28.1	\$431.4
2002	\$163.8	\$58.9	\$52.7	\$35.4	\$76.9	\$25.2	\$27.9	\$30.0	\$470.8



Table 221. Nova Scotia health expenditures, 1975-2002, current dollars (millions)

	Hospitals	Other Institutions	Physicians	Other Professionals	Drugs	Capital	Public Health & Admin	Other Health Spending	Total
1975	\$188.9	\$19.7	\$54.3	\$30.2	\$29.4	\$29.1	\$15.1	\$15.8	\$382.5
1976	\$219.2	\$25.9	\$60.9	\$34.4	\$32.9	\$36.0	\$15.8	\$16.9	\$442.2
1977	\$236.7	\$36.4	\$66.6	\$41.7	\$37.1	\$15.4	\$17.1	\$18.1	\$469.1
1978	\$254.3	\$44.0	\$72.3	\$46.3	\$45.6	\$13.4	\$17.9	\$18.7	\$512.5
1979	\$281.7	\$50.7	\$79.1	\$51.2	\$56.3	\$13.7	\$18.3	\$22.0	\$573.0
1980	\$315.3	\$60.2	\$89.3	\$56.7	\$64.6	\$23.8	\$20.5	\$26.7	\$657.2
1981	\$395.7	\$67.7	\$95.2	\$64.1	\$73.5	\$36.1	\$23.7	\$32.9	\$788.8
1982	\$453.5	\$83.4	\$108.0	\$81.0	\$86.8	\$39.1	\$27.1	\$40.2	\$919.1
1983	\$506.0	\$84.1	\$119.6	\$88.5	\$101.5	\$26.7	\$30.4	\$48.0	\$1,004.9
1984	\$560.6	\$87.9	\$133.9	\$98.6	\$122.4	\$36.3	\$32.4	\$53.3	\$1,125.3
1985	\$601.6	\$91.7	\$148.0	\$111.8	\$147.8	\$41.3	\$33.1	\$57.3	\$1,232.5
1986	\$648.2	\$93.8	\$157.4	\$123.3	\$184.5	\$67.7	\$40.1	\$61.8	\$1,376.9
1987	\$684.5	\$98.6	\$168.4	\$130.2	\$213.0	\$161.8	\$37.7	\$66.4	\$1,560.6
1988	\$725.8	\$121.6	\$181.9	\$142.7	\$229.7	\$62.6	\$42.9	\$77.8	\$1,585.0
1989	\$795.7	\$141.6	\$190.6	\$155.8	\$246.8	\$82.6	\$47.8	\$91.0	\$1,751.8
1990	\$861.5	\$151.9	\$201.4	\$157.1	\$263.5	\$84.7	\$51.7	\$96.3	\$1,868.2
1991	\$917.7	\$161.9	\$214.3	\$171.8	\$275.9	\$70.5	\$57.6	\$104.1	\$1,973.8
1992	\$935.6	\$166.0	\$219.8	\$178.3	\$306.8	\$59.9	\$57.1	\$111.7	\$2,035.2
1993	\$857.4	\$161.8	\$259.6	\$187.9	\$327.7	\$61.5	\$55.2	\$117.1	\$2,028.3
1994	\$803.8	\$159.4	\$263.4	\$194.9	\$328.1	\$83.1	\$58.0	\$134.4	\$2,025.1
1995	\$855.1	\$189.6	\$256.4	\$201.2	\$334.6	\$69.4	\$58.5	\$140.8	\$2,105.5
1996	\$833.4	\$203.0	\$271.4	\$205.7	\$353.5	\$29.8	\$57.6	\$140.0	\$2,094.6
1997	\$1,006.2	\$221.5	\$295.3	\$219.7	\$362.3	\$34.1	\$71.4	\$152.2	\$2,362.6
1998	\$1,045.8	\$247.9	\$320.3	\$223.5	\$419.6	\$33.3	\$70.6	\$183.8	\$2,544.9
1999	\$1,058.2	\$281.4	\$351.7	\$244.5	\$432.7	\$35.5	\$75.9	\$178.9	\$2,658.8
2000	\$1,039.0	\$306.5	\$368.1	\$279.3	\$468.5	\$47.8	\$90.1	\$200.9	\$2,800.4
2001	\$1,056.9	\$317.8	\$378.9	\$284.8	\$500.5	\$112.1	\$94.0	\$213.8	\$2,958.8
2002	\$1,124.6	\$350.5	\$400.3	\$296.0	\$534.3	\$84.0	\$103.2	\$228.5	\$3,121.5



Table 222. New Brunswick health expenditures, 1975-2002, current dollars (millions)

	Hospitals	Other Institutions	Physicians	Other Professionals	Drugs	Capital	Public Health & Admin	Other Health Spending	Total
1975	\$137.2	\$19.1	\$32.2	\$20.7	\$26.1	\$25.7	\$9.1	\$7.4	\$277.5
1976	\$163.6	\$27.6	\$34.9	\$24.3	\$29.4	\$23.3	\$11.1	\$7.7	\$321.9
1977	\$181.7	\$34.4	\$38.2	\$28.5	\$34.9	\$20.1	\$12.5	\$8.6	\$358.9
1978	\$198.6	\$42.2	\$42.1	\$35.1	\$39.5	\$23.4	\$15.3	\$8.5	\$404.7
1979	\$215.2	\$57.1	\$48.2	\$39.3	\$50.0	\$33.3	\$17.8	\$9.1	\$470.0
1980	\$250.1	\$75.0	\$57.8	\$45.3	\$62.5	\$36.6	\$23.2	\$12.0	\$562.5
1981	\$302.8	\$88.9	\$72.1	\$48.4	\$82.0	\$41.0	\$28.1	\$17.9	\$681.2
1982	\$362.3	\$107.7	\$91.4	\$58.1	\$98.8	\$46.7	\$34.1	\$20.2	\$819.3
1983	\$393.5	\$117.9	\$106.0	\$63.6	\$106.7	\$46.7	\$36.6	\$23.5	\$894.6
1984	\$422.2	\$122.7	\$112.0	\$70.0	\$112.2	\$68.8	\$39.6	\$27.6	\$975.1
1985	\$444.7	\$128.1	\$121.1	\$79.5	\$122.9	\$56.4	\$41.9	\$31.7	\$1,026.2
1986	\$465.0	\$124.5	\$130.6	\$81.4	\$142.0	\$69.6	\$43.2	\$34.9	\$1,091.1
1987	\$504.0	\$126.2	\$143.6	\$87.9	\$168.1	\$83.2	\$43.7	\$37.4	\$1,194.0
1988	\$548.8	\$137.6	\$158.8	\$93.9	\$174.3	\$87.4	\$46.6	\$44.0	\$1,291.5
1989	\$564.9	\$143.7	\$174.2	\$99.6	\$182.8	\$93.1	\$85.2	\$56.7	\$1,400.1
1990	\$620.7	\$163.6	\$179.8	\$105.6	\$203.7	\$88.2	\$103.8	\$68.1	\$1,533.5
1991	\$665.4	\$179.8	\$193.1	\$114.0	\$221.9	\$64.1	\$111.6	\$79.5	\$1,629.3
1992	\$740.7	\$197.1	\$199.0	\$120.5	\$234.9	\$52.8	\$67.5	\$87.4	\$1,699.8
1993	\$737.6	\$214.3	\$202.2	\$125.1	\$245.3	\$46.9	\$61.2	\$106.6	\$1,739.1
1994	\$733.6	\$215.9	\$211.4	\$129.4	\$252.1	\$61.2	\$69.2	\$118.6	\$1,791.6
1995	\$692.4	\$217.1	\$214.8	\$135.2	\$259.6	\$90.4	\$76.2	\$122.0	\$1,807.7
1996	\$707.5	\$218.3	\$219.9	\$135.9	\$250.9	\$82.8	\$77.7	\$121.1	\$1,814.1
1997	\$684.6	\$228.0	\$238.9	\$156.7	\$292.7	\$53.2	\$80.4	\$120.7	\$1,855.2
1998	\$704.6	\$239.7	\$239.2	\$164.0	\$303.5	\$44.8	\$88.3	\$133.4	\$1,917.5
1999	\$748.3	\$246.7	\$262.1	\$175.7	\$337.4	\$44.6	\$98.5	\$154.0	\$2,067.4
2000	\$796.7	\$256.9	\$278.8	\$197.8	\$370.4	\$41.2	\$110.8	\$171.6	\$2,224.3
2001	\$874.7	\$265.4	\$303.8	\$216.9	\$418.0	\$52.8	\$113.7	\$183.2	\$2,428.5
2002	\$942.5	\$279.9	\$335.9	\$231.2	\$455.7	\$39.6	\$119.1	\$193.0	\$2,597.0



Table 223. Drug expenditure summary Canada, Provinces and Territories, 1999

	Total Drug Expenditure (millions)	Percent Distribution	Total Drug Expenditure Per Capita	Total Drug Expenditure as a % of Total Health Expenditure	Drug Expenditure Financed from Private Sources as a % of Total Private Sector Health Expenditure	Prescribed Drug Expenditure as a % of Total Drug Expenditure	Proportion of Prescribed Drug Expenditure financed from Provincial/Territorial Governments
Newfoundland and Labrador	\$210.9	1.6	\$390.1	13.4	46.0	79.1	35.8
Prince Edward Island	\$63.7	0.5	\$463.0	17.1	44.3	73.1	25.7
Nova Scotia	\$430.0	3.2	\$457.6	15.6	39.5	74.8	34.3
New Brunswick	\$324.3	2.4	\$429.8	15.7	42.2	74.1	27.6
Quebec	\$3,291.9	24.7	\$447.9	16.5	37.8	80.4	34.6
Ontario	\$5,555.3	41.7	\$482.1	15.9	33.1	74.6	40.4
Manitoba	\$426.7	3.2	\$373.5	11.7	30.8	74.8	33.1
Saskatchewan	\$388.4	2.9	\$378.7	13.0	38.8	75.6	28.9
Alberta	\$1,139.4	8.6	\$385.0	13.2	31.9	74.5	37.3
British Columbia	\$1,459.0	11.0	\$362.2	11.9	28.0	72.3	48.2
Yukon Territory	\$12.1	0.1	\$389.2	11.2	38.6	72.4	30.0
Northwest Territories	\$16.3	0.1	\$397.8	7.0	34.6	77.0	13.6
Nunavut	\$4.8	0.04	\$177.2	3.6	47.7	54.5	34.3
Canada	\$13,322.6	100.0%	\$436.8	14.9	34.0	75.9	38.2

Sources: Canadian Institute for Health Information, Statistics Canada extracted from http://secure.cihi.ca/cihiweb/dispPage.jsp?cw page=statistics results topic drugs e&cw topic=Health%20Spending&cw subtopic=Drugs